


# I.D. PRO® Plus, Brady LS2000, BradyMarker™ XC Plus Labels

**PRINTER MODEL**  
**PRO** = ID PRO/PRO Plus  
**LS** = LS2000  
**BMXC** = BradyMarker XC Plus  
**ALL** = All ID PRO, LS2000, BMXC



## CABLE MARKING LABELS

**WML-511-292**

Wire Marker Label

Size # 511, 1.000" x 2.500"

Material B-292, Self-Laminating Vinyl



**PART NUMBER EXPLANATION:**

Most Brady part numbers for portable printer labels follow the same three-part format: The first code indicates the application, the second part is a number indicating the die size used (where applicable), the third part indicates the Brady material used.

### Self-Laminating White/Transparent Vinyl (B-292)

Part Number	Portable Printer Model	Labels Per Roll	Label Width Inch (mm) A	Label Height Inch (mm) B	Write-On Height C	Maximum Lines of Print (PRO/LS)	Maximum Characters Across Large (PRO/LS)	Maximum Characters Across Small (PRO/LS)
WML-511-292**	ALL	100	1.000 (25.40)	2.500 (63.50)	0.750 (19.05)	4/5	7/7	10/15
WML-517-292**	ALL	100	1.500 (38.10)	2.500 (63.50)	0.750 (19.05)	4/5	10/11	15/23
WML-711-292**	ALL	100	1.000 (25.40)	4.000 (101.60)	1.000 (25.40)	6/7	7/7	10/15
WML-717-292**	ALL	100	1.500 (38.10)	4.000 (101.60)	1.000 (25.40)	6/7	10/11	15/23
WML-1215-292	LS	250	1.000 (25.40)	2.250 (57.15)	0.750 (19.05)	6	7	15
WML-1231-292-22	LS	250	2.000 (50.80)	2.250 (57.15)	0.750 (19.05)	6	15	31
WML-1231-292-30	LS	100	2.000 (50.80)	3.000 (76.20)	0.750 (19.05)	6	15	31
WML-2431-292-60**	LS	75	2.000 (50.80)	6.000 (152.40)	1.500 (38.10)	12	15	31
WML-2431-292-75**	LS	75	2.000 (50.80)	7.500 (190.50)	1.500 (38.10)	12	15	31

\*\*Also available in: BL=blue, BR=brown, GR=green, GY=grey, OR=orange, PL=purple, RD=red, YL=yellow. Standard product: Contact your Brady Identification Solutions distributor or Customer Service representative for ordering information.



### White or Yellow Tedlar® Film (B-637)

Part Number	Portable Printer Model	Roll Length Ft. (m)	Label Width Inch (mm) A	Label Height Feet (m) B	Maximum Lines of Print	Maximum Characters Across Large	Maximum Characters Across Small
WRCM-711-637-WT*	LS/BMXC	50 ft (15.24 m)	1.000 (25.40)	50 ft (15.24 m)	9	7	15
WRCM-711-637-YL*	LS/BMXC	50 ft (15.24 m)	1.000 (25.40)	50 ft (15.24 m)	9	7	15
WRCM-717-637-WT*	LS/BMXC	50 ft (15.24 m)	1.500 (38.10)	50 ft (15.24 m)	9	11	23
WRCM-717-637-YL*	LS/BMXC	50 ft (15.24 m)	1.500 (38.10)	50 ft (15.24 m)	9	11	23

Tedlar® is a registered trademark of DuPont.

\*Roll-form cable marking. Cut to length.


PORTABLE PRINTERS AND LABELS

I.D. PRO PLUS / BRADY LS2000 LABELS WIRE & CABLE MARKING

# I.D. PRO® Plus, Brady LS2000, BradyMarker™ XC Plus Labels

CONTINUED

PRINTER MODEL	
<b>PRO</b>	= ID PRO/PRO Plus
<b>LS</b>	= LS2000
<b>BMXC</b>	= BradyMarker XC Plus
<b>ALL</b>	= All ID PRO, LS2000, BMXC



## ▶ WIRE MARKING LABELS

Part Number	Portable Printer Model	Labels Per Roll	Label Material	Label Width Inch (mm) A	Label Height Inch (mm) B	Write-On Height C	Maximum Lines Of Print (PRO/LS)	Maximum Characters Large (PRO/LS)	Maximum Characters Across Small (PRO/LS)
<b>6 to 10 Gauge Wire (AWG) Based on THHN Wire — Maximum Wire Diameter - 0.260 in (6.60 mm)</b>									
WML-905-502	ALL	250	Vinyl Cloth	0.500 (12.70)	1.250 (31.75)	N/A	8/10	3/3	4/7
WML-905-499	ALL	250	Nylon Cloth	0.500 (12.70)	1.250 (31.75)	N/A	8/9	3/3	4/7
WML-905-632	ALL	250	Tedlar®	0.500 (12.70)	1.250 (31.75)	N/A	8/9	3/3	4/7
WML-305-292	ALL	250	Self-Laminating Vinyl	0.500 (12.70)	1.250 (31.75)	0.500 (12.70)	3/4	3/3	4/7
WML-2411-502	LS	250	Vinyl Cloth	0.800 (20.32)	1.500 (38.10)	N/A	12	5	11
WML-0811-292	LS	250	Self-Laminating Vinyl	0.800 (20.32)	1.500 (38.10)	0.500 (12.70)	4	5	11
WML-911-499	ALL	250	Nylon Cloth	1.000 (25.40)	1.250 (31.75)	N/A	8/9	7/7	10/15
WML-911-502	ALL	250	Vinyl Cloth	1.000 (25.40)	1.250 (31.75)	N/A	8/10	7/7	10/15
WML-911-632	ALL	250	Tedlar	1.000 (25.40)	1.250 (31.75)	N/A	8/9	7/7	10/15
WML-311-292**	ALL	250	Self-Laminating Vinyl	1.000 (25.40)	1.250 (31.75)	0.500 (12.70)	3/4	7/7	10/15
WML-917-499	ALL	250	Nylon Cloth	1.500 (38.10)	1.250 (31.75)	N/A	8/9	10/11	15/23
WML-917-502	ALL	250	Vinyl Cloth	1.500 (38.10)	1.250 (31.75)	N/A	8/9	10/11	15/23
WML-317-292	ALL	250	Self-Laminating Vinyl	1.500 (38.10)	1.250 (31.75)	0.500 (12.70)	3/4	10/11	15/23
<b>10 to 12 Gauge Wire (AWG) Based on THHN Wire — Maximum Wire Diameter - 0.210 in (5.30 mm)</b>									
WML-705-499	ALL	250	Nylon Cloth	0.500 (12.70)	1.000 (25.40)	N/A	6/7	3/3	4/7
WML-705-502	ALL	250	Vinyl Cloth	0.500 (12.70)	1.000 (25.40)	N/A	6/8	3/3	4/7
WML-705-632	ALL	250	Tedlar	0.500 (12.70)	1.000 (25.40)	N/A	6/7	3/3	4/7
WML-205-292-1	ALL	250	Self-Laminating Vinyl	0.500 (12.70)	1.000 (25.40)	0.375 (9.53)	2/3	3/3	4/7
WML-711-499	ALL	250	Nylon Cloth	1.000 (25.40)	1.000 (25.40)	N/A	6/7	7/7	10/15
WML-711-502	ALL	250	Vinyl Cloth	1.000 (25.40)	1.000 (25.40)	N/A	6/8	7/7	10/15
WML-711-632	ALL	250	Tedlar	1.000 (25.40)	1.000 (25.40)	N/A	6/7	7/7	10/15
WML-211-292-1**	ALL	250	Self-Laminating Vinyl	1.000 (25.40)	1.000 (25.40)	0.375 (9.53)	2/3	7/7	10/15
<b>10 to 16 Gauge Wire (AWG) Based on THHN Wire — Maximum Wire Diameter - 0.160 in (4.10 mm)</b>									
WML-505-499	ALL	250	Nylon Cloth	0.500 (12.70)	0.750 (19.05)	N/A	4/8	3/3	4/7
WML-505-502	ALL	250	Vinyl Cloth	0.500 (12.70)	0.750 (19.05)	N/A	4/8	3/3	4/7
WML-505-632	ALL	250	Tedlar	0.500 (12.70)	0.750 (19.05)	N/A	4/8	3/3	4/7
WML-205-292-75	ALL	250	Self-Laminating Vinyl	0.500 (12.70)	0.750 (19.05)	0.375 (9.53)	2/3	3/3	4/7
WML-511-499	ALL	250	Nylon Cloth	1.000 (25.40)	0.750 (19.05)	N/A	4/5	7/7	10/15
WML-511-502	ALL	250	Vinyl Cloth	1.000 (25.40)	0.750 (19.05)	N/A	4/8	7/7	10/15
WML-511-632	ALL	250	Tedlar	1.000 (25.40)	0.750 (19.05)	N/A	4/5	7/7	10/15
WML-211-292-75**	ALL	250	Self-Laminating Vinyl	1.000 (25.40)	0.750 (19.05)	0.375 (9.53)	2/3	7/7	10/15
WML-517-499	ALL	250	Nylon Cloth	1.500 (38.10)	0.750 (19.05)	N/A	4/5	10/11	15/23
WML-517-502	ALL	250	Vinyl Cloth	1.500 (38.10)	0.750 (19.05)	N/A	4/5	10/11	15/23
<b>16 to 22 Gauge Wire (AWG) Based on THHN Wire — Maximum Wire Diameter - 0.110 in (2.80 mm)</b>									
WML-305-499	ALL	500	Nylon Cloth	0.500 (12.70)	0.500 (12.70)	N/A	3/3	3/3	4/7
WML-305-502	ALL	500	Vinyl Cloth	0.500 (12.70)	0.500 (12.70)	N/A	3/4	3/3	4/7
WML-305-632	ALL	500	Tedlar	0.500 (12.70)	0.500 (12.70)	N/A	3/4	3/3	4/7

Tedlar® is a registered trademark of DuPont.

**\*\*Also available in: BL=blue, BR=brown, GR=green, GY=grey, OR=orange, PL=purple, RD=red, YL=yellow.**  
**Standard product: Contact your Brady Identification Solutions distributor or Customer Service representative for ordering information.**



PORTABLE PRINTING AND LABELS

WIRE & CABLE MARKING I.D. PRO PLUS / BRADY LS2000 LABELS

# I.D. PRO® Plus, Brady LS2000, BradyMarker™ XC Plus Labels

CONTINUED

PRINTER MODEL	
<b>PRO</b>	= ID PRO/PRO Plus
<b>LS</b>	= LS2000
<b>BMXC</b>	= BradyMarker XC Plus
<b>ALL</b>	= All ID PRO, LS2000, BMXC




## MULTIPLE-ACROSS WIRE MARKING STRIPS

White Vinyl Cloth (B-502), White/Transparent Self-Laminating Vinyl (B-292), Nylon Cloth (B-499)

Part Number	Marker Size Code	Quantity Per Roll Strips	Number of Strips Across	Marker Strip Inch (mm) A	Dimension B	Write-On Height C	Wire Gauge*	Maximum Lines of Print (PRO/LS)	Maximum Characters Across Large (PRO/LS)	Maximum Characters Across Small (PRO/LS)
WML-205-292-2S	ALL	500	2	0.500 (12.70)	0.750 (19.05)	0.400 (10.16)	10 to 14	2/2	3/3	4/7
WML-305-292-2S	ALL	500	2	0.500 (12.70)	1.250 (31.75)	0.520 (13.21)	6 to 10	3/3	3/3	4/3
WML-308-292-2S	ALL	500	2	0.750 (19.05)	1.250 (31.75)	0.500 (12.70)	6 to 10	3/3	5/5	7/11
WML-505-499-2S	ALL	250	2	0.500 (12.70)	0.750 (19.05)	N/A	10 to 14	4/5	3/5	4/7
WML-505-502-2S	ALL	500	2	0.500 (12.70)	0.750 (19.05)	N/A	10 to 14	4/5	3/5	4/7
WML-508-502-2S	ALL	500	2	0.750 (19.05)	0.750 (19.05)	N/A	10 to 16	4/5	3/5	7/11
WML-905-499-2S	ALL	500	2	0.500 (12.70)	1.250 (31.75)	N/A	6 to 10	8/9	3/3	4/7
WML-905-502-2S	ALL	500	2	0.500 (12.70)	1.250 (31.75)	N/A	6 to 10	8/9	3/3	4/7
WML-502-502-2S	LS/BMXC	500	2	0.250 (6.35)	0.750 (19.05)		10 to 14	5	1	3
WML-502-502-4S	LS/BMXC	1000	4	0.250 (6.35)	0.750 (19.05)		10 to 14	5	1	3
WML-902-502-2S	LS/BMXC	500	2	0.250 (6.35)	1.250 (31.75)		6 to 10	9	1	3
WML-902-502-4S	LS/BMXC	1000	4	0.250 (6.35)	1.250 (31.75)		6 to 10	9	1	3
WML-202-292-4S	LS/BMXC	1000	4	0.250 (6.35)	0.750 (19.05)	0.400 (10.16)	10 to 14	2	1	3
WML-302-292-4S	LS/BMXC	1000	4	0.250 (6.35)	1.250 (31.75)	0.520 (13.21)	6 to 10	3	1	3

\*Based on THHN wire.

## TEMPORARY WIRE MARKER FLAG



Removable Vinyl Cloth (B-502)

Part Number	Portable Printer Model	Labels Per Roll	Label Width Inch (mm) A	Label Height Inch (mm) B	Maximum Lines of Print (PRO/LS)	Maximum Characters Across Large (PRO/LS)	Maximum Characters Across Small (PRO/LS)
WML-117-502-PF	ALL	500	1.500 (38.10)	0.275 (7.00)	1/1	10/11	15/23

PORTABLE PRINTERS AND LABELS

WIRE & CABLE MARKING

I.D. PRO PLUS / BRADY LS2000 LABELS